



1. Out of bounds – Rule 27

Out of bounds is defined by white stakes or fences. The boundary wall supporting the fence along the left side of hole nr. 10, is considered to be out of bounds. If a white line is used to indicate out of bounds, it has priority.

2. Internal out of bounds

2.1. Internal out of bounds between holes 1 and 9

The out of bounds boundary between holes 1 and 9 starts at the path crossing both fairways and ends behind the teeing ground of hole 9. The out of bounds rule applies to hole 1 and 9.

2.2. Internal out of bounds between holes 4 and 5/6

The out of bounds boundary between holes 4 and 5/6 starts behind the teeing ground of hole 4 and ends halfway through the fairway of hole 5. The out of bounds rule applies only to hole 4.

2.3. Internal out of bounds for hole 12

The marked area on holes 15 and 16 right of hole 12, starting at the path and ending behind Tee 16 / Green 15 is out of bounds while playing hole 12.

3. Ground under repair, abnormal ground conditions - Rule 25

3.1. Flowerbeds
All flowerbeds are considered ground under repair. If a player's ball lies in these areas or if such an area interferes with the player's stance or the area of their intended swing, the player must take relief in accordance with Rule 25-1.

3.2. Hole, cast or runway on the course made by a burrowing animal, reptile or bird
Relief according to Rule 25-1 concerning hole, cast or runway on the course made by a burrowing animal, reptile or bird, is not permitted when only the stance is affected

4. Obstacles – Rules 24

4.1. movable obstacles

Stones in bunker are movable obstacles.

4.2. Immovable obstruction

Sprinkler outlets on the fringes of greens are immovable obstruction. Relief from interference by an immovable Obstruction may be

obtained under rule 24-2. In addition, if a ball lies through the green and an immovable obstruction on, or within two club-lengths of the putting green and within two club-lengths of the ball intervenes on the line of play between the ball and the hole, the player may take relief without penalty.

4.3. Intergral parts of the course

All paths covered with bark mulch, as well as all bases of trees covered with bark mulch or earth/ground/soil, are considered integral parts of the course.

5. Elevated power lines

If a ball strikes the elevated power lines on hole 9, the stroke is cancelled and the player must play a ball as nearly as possible at the spot from which the original ball was played in accordance with Rule 20-5.

6. Penalty for Breach of Local Rules 1-5

Match play: loss of hole
Stoke play: two strokes

7. Artificial Devices

7.1. Distance-Measuring Devices

A player may obtain distance information by using a device that measures distance only. If, during a stipulated round, a player uses a distance-measuring device that is designed to gauge or measure other conditions that might affect his play (e.g. gradient, windspeed, temperature, etc.), the player is in breach of Rule 14-3, for which the penalty is disqualification, regardless of whether any such additional function is actually used.

7.2. Electronic Communication Devices

If the Committee determines a severe disturbance of Play through the use of such a device by a player or caddie, the Committee may evaluate such a disturbance as a serious breach against the etiquette and pronounce/declare a disqualification.

8. Translation

In case of any discrepancies the German version of the Local Rules is obligatory for decisions.

SCORECARD

018B001-35-05-13-nd





Hole	Par	HCP	73,4/ 129	74,3/ 126	Player	Marker	Pin
1	4	3	396	350			
2	5	9	479	410			
3	3	17	145	118			
4	4	7	388	343			
5	3	15	154	112			
6	4	5	394	336			
7	4	11	366	307			
8	5	1	512	422			
9	4	13	308	270			
Out	36		3142	2668			

10	4	16	319	272			
11	3	10	188	158			
12	5	2	553	464			
13	4	6	358	300			
14	4	4	419	359			
15	5	8	506	436			
16	5	14	442	378			
17	3	18	133	109			
18	4	12	300	261			
In	37		3218	2737			
Tot	73		6360	5405			
		Player	Marker				



winnebeck

haute joaillerie



Eigenes Meisteratelier für feine Goldschmiedearbeiten
 Chronometrie · Gemmologisches Labor
 Universitätsstr.1 · 91054 Erlangen

Tel. +49 9131 25644
www.winnebeck.de

